## **AMENDMENTS**

This listing of claims will replace all prior versions, and listing, of claims in the application:

Claims 1-23 (Canceled)

24. (Original) A system for implanting a conduit with at least one side-branch in a vessel, comprising:

a main member comprising a wall having an opening;

at least one side-branch member connected at a proximal end to the main member at the opening, wherein the at least one side-branch member is configured to be extended from within the main member through the opening; and

a delivery system engaging at least one of the main member and the at least one sidebranch member for implanting the main member and the at least one side-branch member in the vessel.

- 25. (Original) The system of claim 24, wherein the delivery system includes:
  - a main guidewire configured to be inserted into the vessel; and
  - a side-branch guidewire configured to be inserted into a side-branch of the vessel.
- 26. (Original) The system of claim 25, wherein the delivery system further comprises:

a main balloon catheter releasably attachable to the main member and slidingly attachable to the main guidewire; and

a side-branch balloon catheter releasably attachable to the at least one side-branch member and slidingly attachable to the side-branch guidewire.

- 27. (Original) The system of claim 24, wherein the delivery system includes a deployment tube configured to engage the at least one side-branch member.
- 28. (Original) The system of claim 24, wherein the delivery system includes at least one sheath configured to retain at least one of the main member and the at least one side-branch member.
- 29. (Original) The system of claim 28, wherein the delivery system further includes a push element configured to engage at least one of the main member and the at least one side-branch member and move the at least one of the main member and the at least one side-branch member with respect to the sheath.
- 30. (Original) The system of claim 28, wherein the sheath has an aperture defined through a wall of the sheath, and the sheath aperture is aligned with the main member opening.
- 31. (Original) The system of claim 30, wherein the delivery system further comprises:

a guidewire inserted into a side-branch of the vessel through the sheath aperture and the main member opening; and

a balloon catheter adapted to be releasably attached to an end of the at least one-side branch member and advanced over the guidewire.

32. (Original) The system of claim 24, wherein the delivery system includes at least one guidewire adapted to be inserted into a vessel.

33. (Original) The system of claim 24, further comprising a deployment tube configured to engage the at least one side-branch member to extend the at least one side-branch member from within the main member through the opening.

Claims 34-41 (Canceled)

- 42. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member is treated for at least one of elution of drugs, biocompatibility, radioactivity, and radiopacity.
- 43. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member is kink resistant.
- 44. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member may be distended with at least one of minimal foreshortening and low recoil.
- 45. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member is circumferentially distensible.
- 46. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member comprises a graft material.

- 47. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member includes at least one of polytetraflourotheylene, polyurethane, polytethylene, polythether sulfone, and polyester.
- 48. (New) The system of claim 24, further comprising a flange connected to the at least one side-branch member and to the wall of the main member in the vicinity of the opening.
- 49. (New) The system of claim 24, wherein at least one of the main member and the at least one side-branch member includes at least one of a film-tube, extruded tubing, braided tubing, and textile tubing.